THE PULL OF STRONGER MAGNETS

BY NICOLA JONES

Super-powerful magnets would boost the performance of electric cars and other green technology.

Why is it so hard to make them?

or Christmas, magnetics researcher William McCallum got one of the latest cool toys: 'Buckyballs: The Amazing Magnetic Desktoy You Can't Put Down!' The magnets are state-of-the-art—strong enough that, if they were cubes rather than spheres, you wouldn't be able to pry them apart. But if McCallum has his way, his team will make them look like weaklings.

McCallum, a materials scientist at Iowa State University in Ames, is tackling two big problems at the same time: magnet strength and cost. For most of the twentieth century, the strength of available magnets doubled every decade or two, but it stalled in the 1990s. The limit has hampered efforts to make high-tech products such as electric cars more efficient. And in the past two years, the cost of the rare-earth elements that are essential to advanced magnets has shot up. The price of neodymium oxide jumped from US\$17 a kilogram to \$85 a kilogram in 2010 alone.

Despite their name, rare-earth elements such as neodymium aren't truly rare geologically, but they are expensive to mine and process. China, which provides about 95% of the 96,000 tonnes currently produced worldwide every year, has put increasingly stringent caps on exports, even as the need for the elements is booming. Magnets made with them are at the heart of modern technology from mobile phones and laptops to high-efficiency washing machines. And many devices that are part of the green economy require substantial amounts: an electric car carries a few kilograms of rare-earth elements, and a 3-megawatt wind turbine uses about 1.5 tonnes. Demand leapt from 30,000 tonnes in the 1980s to 120,000 tonnes in 2010 (which was met in part by depletion of national stockpiles), and is predicted to hit 200,000 tonnes by 2015, says Gareth Hatch, founder of the Technology Metals Research consultancy in Carpentersville, Illinois (see 'Market forces').

Fortunately, the leading idea for how to make 'next-generation' magnets could solve both problems at once. It involves combining nanoparticles of rare-earth magnets with nanoparticles of cheaper magnetic materials — creating super-strong end-products with far less of the expensive ingredients. Governments keen to invest in energy-efficient technology, and scared by a global crunch in the rare-earth market, have started to pay attention to magnetics research.

In the United States, an infusion of funds has come from the Department of Energy, home of the Advanced Research Projects Agency — Energy (ARPA-E), which was established in 2009 to bring high-risk, potentially 'transformative' technologies to the market. ARPA-E has allocated \$6.6 million to research on next-generation magnets — a shot in the arm for the field. "We're long overdue" for the next magnet

revolution, says George Hadjipanayis, a physicist at the University of Delaware in Newark, who is head of a \$4.4-million ARPA-E consortium of which McCallum is part. "We need to do it."

Permanent magnets get their pulling power from the orbits and spins of unpaired electrons, which tend to align with an external magnetic field and stay that way when that field is taken away. These magnets are ranked by their 'energy product' in kilojoules per cubic metre (kJ m⁻³) — a combination of how much they respond to an applied magnetic field (their magnetization) and how well they resist being demagnetized. These properties don't always go hand in hand. Iron—cobalt alloy has the highest potential magnetization known, but its energy product is effectively zero because it is easily demagnetized: it has a symmetrical cubic crystal structure, with nothing to keep its electron spins pointing in any one direction, so they can be jolted out of alignment by a bump or a nearby magnetic field.

SPINS IN SYNC

Newer magnetic materials have a complex crystalline structure that helps to keep the spins pointing one way. In the 1950s, the best of such magnets, made of an alloy of iron, aluminium, nickel and cobalt called Alnico, achieved an energy product of 40 kJ m⁻³ (see 'Stalled progress'). The 1960s brought the first generation of rare-earth magnets, made of samarium and cobalt, which eventually enabled energy products to exceed 250 kJ m⁻³. In the 1980s, researchers devised neodymium–iron–boron (NIB) magnets, which hold the record at about 470 kJ m⁻³. If the magnets have to work at high temperatures — such as in a car engine — the rare-earth element dysprosium is added to the mix.


The dream is to unite the magnetic punch of something like iron-cobalt with the stability of, for example, a NIB magnet. That should be possible by combining nanoparticles of the two, packed so closely that neighbouring electrons influence each other and keep their spins aligned. In theory, a nanocomposite could reach an energy product of a whopping 960 kJ m⁻³, with rare earths making up just 5% of its weight, compared with 27% in a normal NIB magnet (R. Skomski and J. M. D. Coey *Phys. Rev. B* **48**, 15812–15816; 1993). But making such a composite is extremely difficult.

The grains in a successful nanocomposite must be small (10 nanome-

NATURE.COM
Read more on the search for efficient energy technology at: go.nature.com/jvfb2i

tres or less); have the right crystal structure; have aligned magnetic directions; and be tightly packed. Achieving all of these at once is an engineering nightmare. On top of that, rare-earth nanoparticles aren't stable — they love to react with oxygen, which ruins their magnetic properties.





In 2006, a team led by Ping Liu, a physicist at the University of Texas at Arlington, pioneered a manufacturing method that used steel balls to grind up magnetic material with the desired crystalline structure in a solution containing detergents. "I had postdocs working for years on this before we got a publication," says Liu. "They hated me." The soap lets the team produce nano-sized grains that don't adhere to each other but do keep their magnetic properties. Hadjipanayis is using the same technique, and says that in the past year he has made grains as small as 2.7 nanometres.

Even more difficult is making a bulk magnet out of these grains. One standard technique — pressing the grains together and heating them to $800-1,000\,^{\circ}\mathrm{C}$ — causes them to diffuse into each other, so they become too big to create the cooperative nanocomposite effect. Another method — using polymer glues to bind the grains — dilutes the magnetic material.

There are alternatives. Hadjipanayis plans to charge one set of nanoparticles positively and the other negatively, so that electrostatic attraction binds them together. Liu's group squeezes about half a gram of the nano-grains in a press for 30 minutes instead of the standard half a minute. He also adds a bit of warmth (about 500 °C) to help them deform,

but not so much as to ruin them. Using this method, Liu has managed to make relatively strong, dense magnets, but the grains aren't magnetically aligned, so the magnets are still weaker than a standard NIB one.

Alignment is the final hurdle. Liu's group is trying to clear it by putting material through a second slow- compaction process, but is having limited success. The researchers are fiddling with the details, trying to hit on a recipe that works. "I hope it can be done before my retirement," says Liu.

CORPORATE COMPETITION

Liu could be beaten by his competition before he reaches that deadline. The technology firm General Electric, headquartered in Fairfield, Connecticut, has been given a \$2.2-million ARPA-E grant to pursue nanocomposites, and has beefed up its magnetics research team. The company, which started its experimental work in January, told *Nature* that it has a good way to make crystalline grains, but it wouldn't give details.

Last December, the US Department of Energy released its *Critical Materials Strategy*, which outlines a three-part mission to deal with shortages in rare-earth elements: secure new supplies, promote recycling and conduct research into alternatives, such as next-generation magnets. This push toward stronger magnets is a welcome change with

potentially big pay-offs, says Liu. According to his calculations, doubling the strength of a magnet in an electric car should improve the motor's efficiency by about 70% — although that number could vary wildly depending on the design of the magnet and engine.

Although the United States seems to be making the most concerted push towards creating the strongest magnets, other nations have invested more money in general magnetics research, says Liu. China's 5-year economic plan for 2011–15 includes a big boost — reportedly more than 4 trillion renminbi (US\$610 billion) — for spending in seven 'strategic emerging industries', including energy systems, clean cars and new materials. Observers such as Hatch and Liu expect great things from the investment. Japan has invested heavily in magnet research for its high-tech industry, and has strong government–industry collaborations — although one of its largest centres for magnetics research is Tohoku University in

Sendai, which was hit hard by the earthquake and tsunami in March (see *Nature* 471, 420; 2011).

Last year, the European Union's research-funding framework put out a €4-million (US\$6.3-million) call for proposals from groups working to develop novel materials, with the goal of totally replacing rare earths. But most researchers say

that this is massively overreaching. "This is a joke, scientifically," says Liu of the quest to remove rare earths from strong magnets. Several major labs have had proposals rejected because they aimed simply to reduce the quantities of rare earths used in magnets, says Dominique Givord, a magnetics researcher at the Louis Néel Laboratory in Grenoble, France.

Researchers' target of building next-generation nanocomposite magnets is, most admit, a long shot. "I know that this activity is becoming popular in the United States, but I feel that their goal is a bit too ambitious," says Kazuhiro Hono, a magnetics researcher at the National Institute for Materials Science in Tsukuba, Japan. Givord agrees. "It is extraordinarily challenging," he says. More realistic, he says, are attempts to make existing magnets a bit stronger and cheaper by altering their microstructures. In Japan, such efforts have helped to reduce dysprosium demand.

But Hatch, who has worked in the field for nearly two decades, says that next-generation magnets are worth the battle. "Yes, it is ambitious, but that's exactly why we need to be doing it," he says. "It's time to put money behind it."

Nicola Jones is a freelance journalist based near Vancouver, Canada.

TO BE DOING IT.

US farm-science head quits

Departure of director from National Institute of Food and Agriculture casts uncertainty over future of flagship funding programme.

BY HEIDI LEDFORD

nascent revolution in US agricultural science lost its leader last week. Roger Beachy, director of the National Institute of Food and Agriculture (NIFA) in Washington DC, resigned his post, effective on 20 May, saying that he wants to spend more time with his family in St Louis, Missouri. His departure from the agency, part of the US Department of Agriculture (USDA), after less than two years in the job has left researchers wondering what will become of Beachy's pet project: the controversial overhaul of NIFA's flagship competitive grants programme, the Agriculture and Food Research Initiative (AFRI).

"The future is very much uncertain," says Paul Bertsch, a soil scientist at the University of Kentucky in Lexington. "We're going to have this large vacuum created when Roger leaves."

Beachy, a prominent plant biologist who retains a position at Washington University in St Louis, has worked doggedly to raise the political profile of agricultural research and to dispel the field's reputation for being outdated. He radically changed the AFRI last year, designing interdisciplinary projects to tackle societal challenges — such as adapting to climate change and combating childhood obesity — and to deliver tangible results.

Overall, Beachy feels that the first year under the programme's new regime was a success; many researchers have told him that they appreciate the push towards interdisciplinary projects. And one of his goals — to attract new talent to agricultural research — has already been met. In 2010, the AFRI received grant proposals from more than 300 institutions, extending the programme's reach well beyond the roughly 100 public universities that traditionally carry out most



Roger Beachy promoted interdisciplinary science, but now wants to spend more time with his family.

government-funded agricultural research in the United States.

But the changes left many in the field reeling. The AFRI's latest projects were unusually specific — for example, the 2010 climate-change programme awarded grants to researchers studying cereal crops such as maize (corn) but not grasslands — leading to charges that the requirements were too restrictive and, in some cases, seemed to have been written with particular grant recipients in mind. Beachy denies this and says that the calls for proposals were specific to ensure results that would catch the eye of politicians.

"He was trying to change an image that had been planted over the past hundred years, of the agricultural sciences not being up to snuff to any other science," agrees Karl Glasener, head of science policy for the American Society of Agronomy, the Crop Science Society of America, and the Soil Science Society of America, all in Washington DC. "The only way we were going to get attention was to do big bold things that result in something we could sell to policy-makers."

But some researchers who were up for grant renewals last year found that the AFRI no longer had a programme that matched their research goals. Others worried that the focus on larger, more interdisciplinary projects worked against young researchers, who are unlikely to have established the reputation needed to head or be recruited to a large research team. "It was a dramatic shift which had some collateral damage," says Bertsch.

Beachy notes with pride that the 1,557

grant applications the AFRI received last year amounted to a total funding request of US\$4 billion, nearly four times the amount requested in 2009 and well beyond the initiative's \$262.5-million budget for 2010 (see 'A growing concern'). But Rebecca McCulley, an ecologist at the University of Kentucky, sees a high volume of requests as a sign of desperation in the face of so much uncertainty about what the AFRI will fund. "We've all been hammered," she says, "and people are trying to squeeze in an application wherever they can."

Beachy expected criticism. "We knew what we were doing last year, and we expected the response we got," he says. But he has taken steps to address the community's concerns. In the next round of funding, a larger share of the AFRI's budget will go to individual researchers. And the calls for grants so far this year have been less specific, he says, allowing researchers more flexibility to submit novel proposals.

Meanwhile, a changing climate in Washington DC has created new challenges for the programme. Committees in the US Congress originally approved a 20% boost in NIFA's grants budget for 2011. Instead, with Congress fixated on cutting deficits, funding has been held at roughly 2010 levels.

It is unclear who will step into Beachy's shoes. Catherine Woteki, chief scientist at the USDA, says that the agency will be searching for "another distinguished scientist". Until someone is found, Chavonda Jacobs-Young, director of the office of the chief scientist at the USDA, will serve as interim director. Whoever takes on the position will need to be tough enough fight off criticism, says Bertsch, if the AFRI redesign is to succeed.

Although the future of his revolution is cloudy, with its champion gone and its budget facing cuts in 2012 if legislators follow through on threats to trim spending further, Beachy doesn't plan to disappear entirely. "I'm not done advocating for agricultural research," he says. "It's just that I need to do it from St Louis."

CORRECTION

The graph 'Stalled progress' in the News Feature 'The pull of stronger magnets' (*Nature* **472**, 22–23; 2011) incorrectly labelled one line as samarium–iron–nickel. This should have read samarium–iron–nitrogen.

