Poles in exile than it was in Poland before the War, so that there is urgent need of the developments which are contemplated.

Something of what is happening in Poland now may be imagined by reading between the lines of the extract from a secret report on the condition of the Polish children which this journal publishes. At all ages the theoretical rations of Polish children are half the theoretical normal calorie value, while those of Nazi children are well above this norm. In practice, the writer of this report states, the quantity and quality of the food fluctuate; sometimes it is reduced to nil. In the Rodom district, for example, the children of the landworkers do not get any ration cards at all. Almost everywhere the distribution of milk to children under three has been suspended. The writer concludes that the rations show a deficiency of 90 per cent of fats, 80 per cent of albumins and 50-60 per cent of carbohydrates. It is not surprising that infectious diseases and "a frightening mortality", with a high percentage of tuberculosis, which is increasing, and of heart weakness are evident among Polish children. These conditions are, as recent articles in the British Medical Journal and The Lancet and discussions in the Houses of Lords and Commons have shown, reproduced in most of the occupied countries. It is easy to exaggerate them; but we should not commit the graver error of under-estimating their consequences. The agricultural basis of European rehabilitation is clearly recognized, and Polish veterinarians have for long been co-operating with British veterinarians in the reconstruction of Polish veterinary medicine. An article on this, and others on the improvement of Polish milk hygiene and on the eradication of tuberculosis from Polish cattle, 25-50 per cent of which are, Dr. Mglej tells us, tuberculous, indicate that this aspect of the future is not being neglected.

Classification in Biology

THE question is often asked by students as to which is the 'right' classification of a group of animals. Mr. K. H. Chapman, lecturer in zoology, Rhodes University College, Grahamstown, South Africa, directs attention to certain ideas that must be kept in mind when considering schemes of classification from this point of view in a communication to the Editors which is summarized below. Although such conceptions have been put forward before, there persists so much misconception about the nature and purpose of systematics in biology, not only among students but also among biologists themselves, that it is necessary to re-emphasize these points. It is probable that no classification is right or definitive because there is no real classificatory system outside ourselves that it is only necessary for us to discover. In most groups it is obvious that we can only deal with survivors; and even where fossils do exist, they are unselected members of the group from this point of view. Thus it follows that natural classification is an unfortunate term. Living animals do not fall into true and equivalent groups even though we arbitrarily place them in such, and consequently we can only regard classification as a convenient tool with which to deal with a large mass of material, and it does not have a natural existence of itself. It is only necessary to compare the species, genera and other groups of insects with the similarly named categories in other phyla to realize their nonequivalence. The species, whatever it may be, also

must be regarded as a dynamic and not a static unit, and any living group may, in the course of time, become something different. The question of polyphylletic origins also arises; for example, W. A. Herdman suggested that the compound ascidians are an assemblage of groups evolved from different groups of the simple ascidians which had independently assumed the colonial habit of growth. Any classification is to be regarded as an expression of a scale of values which indicates, in the opinion of its proposer, the relative nearness or farness of two or more groups with respect to one another.

The British Bryological Society

FEW associations of naturalists have been originated by advertisement, but such was the genesis of the Moss Exchange Club. The Rev. C. H. Waddell first advertised in Science Gossip in December 1895 and, from the twenty-three favourable replies, founded the Club in the following year, when 2,077 specimens were distributed. It remained an association depending very largely on postal contact until 1922, when the need for closer personal association in field meetings led to the formation of the British Bryological Society. Miss Eleonora Armitage has collated the annual reports of both Club and Society into a short pamphlet (Miss Armitage, Dadnor, Ross). She was president at the Society's last meeting in 1939, and this review should serve the purpose of sustaining the collective interests of bryologists until more stable times allow a resumption of their activities. Several census lists of British bryophytes have been published, from the York Catalogue, compiled by J. A. Wheldon in 1889, to the latest taxonomic indexes for mosses, compiled by J. B. Duncan in 1926, and for hepatics, by A. Wilson in 1930. The taxonomy of mosses and liverworts is now largely established, but many bryological matters still require elucidation. Perhaps the post-war period will provide opportunities for detailed ecological studies -the relation of a moss or liverwort to its substrate, its reactions with other plants, and particularly of its unique physiology, which allows a special phenology of reproduction not possessed by any other kind of

Work of the League of Nations

THE report on the work of the League of Nations during 1942-43, submitted by the Acting Secretary-General, in addition to an introductory section giving a useful survey of proposals for future world organization, contains chapters on economic, financial and transit questions, on questions of a social and humanitarian character, on questions of a legal and administrative character and on the Library of the League. The work of the League on the first group of questions is reflected chiefly in a series of reports which have already been noticed; but in regard to the second group, the report affords strong evidence that whatever views may be held as to the continuance of the League as a co-ordinating machinery in political affairs, its technical organizations should be retained as part of the functional apparatus set up in any future world organization.

The Health Section has concentrated its attention during the year on the present food scarcity, and on malnutrition and the danger of epidemic outbreaks in Europe. A comprehensive study of the trend of morbidity and mortality of European countries in relation to food shortage is shortly to